

SERENE

by **Pool** TECHNOLOGIE

Saltwater chlorinator + pH regulator - S4

The perfect match
between salt treatment
and pH regulation for
optimal maintenance



e-Pool®

Bluetooth remote control
with e-Pool® application



ORP kit (option)
automatic control of
chlorine production



Warranties

pH PROBE
2 YEARS
Warranty

CELL
2+1*
YEARS
Warranty

BOX
2 YEARS
Warranty

Up to **150m³**

A WHOLESOME WATER IN ALL SIMPLICITY



Advanced features

- **Smart Power technology**
Constant chlorine production in any circumstances
A technology which extends the lifespan of the cell
- **Smart pH regulation**
Automatic injection of correcting agent, acid or base
- **Normal Salt/Low Salt mode** (depending on model)
- **Remote control via Bluetooth**
Remote control and update with the e-Pool® application
- **Boost mode**
125% super-chlorination for up to 24 hours to overcome an increased need of disinfectant
- **Cover mode**
Modulate chlorine production according to cover position
- **Self-diagnosis**
Electrolysis test to check the condition of the components
- **Automatic winterization**
Automatic winterization and restart from 15°C
- **Safeties**
Low water, low salt, cell fault, pH setpoint overrun and overfeeding

SERENE

by Pool




*In normal operating condition - Non contractual photos - 11/2021A

Easy installation with accessories holder



- Easy integration for all types of installation
- Adaptable to all standards of piping



- Self cleaning cell by adjustable polarity inversion
- High quality titanium electrodes 10.000 hours*
- Transparent sleeve to easily check the condition of the plates

User-friendly interface

- Intuitive navigation on LCD backlit screen
- Soft touch keyboard with quick access keys
- Chlorine production adjustable from 0 to 100%
- Permanent display of chlorine and pH values

High quality pH probe



- pH Blue probe factory tested and calibrated
- Accurate pH measurement
- Membrane protection lug
- 2 years warranty

MODEL	VOLUME m ³	CHLORINE PRODUCTION g/h	REFERENCE
SERENE S4 Duo 11-55	55	11	ELPH25SERA-G4NM11
SERENE S4 Duo 16-80	80	16	ELPH25SERA-G4NM16
SERENE S4 Duo 21-110	110	21	ELPH25SERA-G4NX21
SERENE S4 Duo 30-150	150	30	ELPH25SERA-G4NX30

in hot climates, reduce volume by 20% - NS : Normal Salt (5g/l) / LS : Low Salt (1,5g/l)